

L Number	Hits	Search Text	DB	Time stamp
-	468682	re\$cycl\$4 re\$us\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:25
-	4722	(re\$cycl\$4 re\$us\$4) with raw adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:59
-	309	system with (re\$cycl\$4 re\$us\$4) with raw adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:32
-	5	system with (re\$cycl\$4 re\$us\$4) with raw adj material and waste adj stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:34
-	1	system and method and data\$base and(re\$cycl\$4 re\$us\$4) with raw adj material and waste adj stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:33
-	1	system and method and data\$base and (re\$cycl\$4 re\$us\$4) with raw adj material and waste adj stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:33
-	88	system and (re\$cycl\$4 re\$us\$4) with raw adj material and waste adj stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:34
-	85	system and method and (re\$cycl\$4 re\$us\$4) with raw adj material and waste adj stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:35
-	1	system and method and (re\$cycl\$4 re\$us\$4) with raw adj material and waste adj stream and data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:35
-	1	(re\$cycl\$4 re\$us\$4) with raw adj material and waste adj stream and data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:36
-	2	(re\$cycl\$4 re\$us\$4) with raw adj material and waste with stream and data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:37
-	57	(re\$cycl\$4 re\$us\$4) with raw adj material and waste with stream and (data\$base data\$store storage)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:38
-	0	(re\$cycl\$4 re\$us\$4) with raw adj material and waste with stream and (data\$base data\$store storage) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:39
-	51	(re\$cycl\$4 re\$us\$4) with raw adj material and waste with stream and (data\$base data\$store storage) and method and system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:40
-	6	(re\$cycl\$4 re\$us\$4) with raw adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with raw adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:41
-	7	(re\$cycl\$4 re\$us\$4) with raw adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4) adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:41

-	16	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4) adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:42
-	31	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:45
-	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:43
-	0	data\$base and (re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:43
-	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:45
-	13	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:45
-	13	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 and waste	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:02
-	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 and waste and semi\$conduct\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 11:49
-	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 and waste and (semi\$conduct\$4 chip)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 11:51
-	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 and waste and (semi\$conduct\$4 chip) and (price "purchase order" purchase)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:01
-	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 and waste and (semi\$conduct\$4 chip) and (price "purchase order" purchase)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:01

-	13	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 and waste	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:08
-	8	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 with (waste raw re\$cycl\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:05
-	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 and waste and data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:07
-	32	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:12
-	34	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and stor\$4 with (raw re\$us\$4 re\$cycl\$4) and monitor\$4 and waste	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:10
-	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store) and stor\$4 with (raw re\$us\$4 re\$cycl\$4) and monitor\$4 and waste	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:10
-	85	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and stor\$4 with (raw re\$us\$4 re\$cycl\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:11
-	1	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store) and stor\$4 with (raw re\$us\$4 re\$cycl\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:11
-	19	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and data\$base and monitor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:14
-	1730	purchase adj order and purchase and price	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:13
-	0	((re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and data\$base and monitor\$4) and (purchase adj order and purchase and price)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:13
-	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and data\$base and monitor\$4 and purchase	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:15
-	237	data\$base with raw adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:15
-	134	data\$base with raw adj material and waste	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:15
-	22	data\$base with raw adj material and waste and re\$cycl\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:15

-	6	data\$base with raw adj material and waste and re\$cycl\$4 and stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:16
-	5	data\$base with raw adj material and waste and re\$cycl\$4 and stream and monitor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:21
-	12	data\$base with raw adj material and waste and re\$cycl\$4 and waste and monitor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:27
-	114	data\$base with raw adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:28
-	0	data\$base with raw adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 with raw	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:29
-	2	data\$base with raw adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:32
-	3	data\$base with (raw re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:33
-	5	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:11
-	7	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and price and purchase with order	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 14:25
-	7	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and price and purchase with (order request)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 14:25
-	8	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and price and purchase with (order\$4 request\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 14:30
-	23	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and price and purchase with (order\$4 request\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 14:31
-	16	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and price and purchase with (order\$4 request\$4) and (707/\$ 705/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 14:15
-	2	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:56
-	0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and access with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:22
-	0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and access\$4 with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:22

-	0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and communicat\$4 with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:23
-	0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and connect\$4 with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:23
-	0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and user with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:24
-	0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and (customer consumer) with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:24
-	0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and (customer user consumer) with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:24
-	0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and (customer client user consumer) with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:24
-	11	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and price and purchase with (order\$4 request\$4) and (707/\$ 705/\$).ccls. and data\$base with access\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:27
-	3	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and price and purchase with (order\$4 request\$4) and (707/\$ 705/\$).ccls. and data\$base with access\$4 with device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:27
-	8242	waste adj stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 14:15
-	0	waste adj stream with generat\$4 with raw adj material and waste with (different vari\$4) with raw	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 14:15
-	10	waste adj stream with generat\$4 with raw adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 14:16
-	1736	(waste reus\$4 discard\$4) with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 15:58
-	554	(waste reus\$4 discard\$4) with data\$base and provider	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 15:58
-	64	(waste reus\$4 discard\$4) with data\$base, and provider with interface	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 15:59

-	64	(waste reus\$4 discard\$4) with data\$base and provider with interfac\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:00
-	0	(waste reus\$4 discard\$4) with data\$base and provider with interfac\$4 and waste with stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 15:59
-	49	(waste reus\$4 discard\$4) with data\$base and provider with interfac\$4 and communicat\$4 with interfac\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:00
-	38	(waste reus\$4 discard\$4) with data\$base and provider with interfac\$4 and communicat\$4 with interfac\$4 and monitor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:01
-	2	(waste reus\$4 discard\$4) with data\$base and provider with interfac\$4 and communicat\$4 with interfac\$4 and monitor\$4 with (waste reus\$4 discard\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:05
-	0	(waste (reus\$4 discard\$4) with material) with data\$base and provider with interfac\$4 and communicat\$4 with interfac\$4 and monitor\$4 with (waste reus\$4 discard\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:07
-	266	(waste (reus\$4 discard\$4) with material) with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:07
-	52	(waste (reus\$4 discard\$4) with material) with data\$base and provider	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:07
-	4	(waste (reus\$4 discard\$4) with material) with data\$base and provider with interface	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:11
-	4	(waste (reus\$4 discard\$4) with material) with data\$base and (supplier provider) with interface	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:11
-	6	(waste (reus\$4 discard\$4) with (article item material)) with data\$base and (supplier provider) with interface	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:16
-	8	(waste re\$cycl\$4 (reus\$4 discard\$4) with (article item material)) with data\$base and (supplier provider) with interface	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:18
-	136	(waste re\$cycl\$4 (reus\$4 discard\$4) with (article item material)) with data\$base and (supplier user provider) with interface	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:36
-	43	(waste re\$cycl\$4 (reus\$4 discard\$4) with (article item material)) with data\$base and (supplier user provider) with interface and communication with link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:37
-	2	(waste re\$cycl\$4 (reus\$4 discard\$4) with (article item material)) with data\$base and (supplier user provider) with interface and communication with link and monitor\$4 and interfac\$4 with monitor\$4 and waste with manag\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:39
-	3	(waste re\$cycl\$4 (reus\$4 discard\$4) with (article item material)) with data\$base and (supplier user provider) with interface and communication with link and monitor\$4 and interfac\$4 with monitor\$4 and (waste re\$cycl\$4 reus\$4 discard\$4) with manag\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:39

-	9	(waste re\$cycl\$4 (reus\$4 discard\$4) with (article item material)) with data\$base and (supplier user provider) with interface and communication with link and monitor\$4 and interfac\$4 with monitor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:40
-	6	(waste re\$cycl\$4 (reus\$4 discard\$4) with (article item material)) with data\$base and (supplier user provider) with interface and communication with link and monitor\$4 and interfac\$4 with monitor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:43
-	28	(waste re\$cycl\$4 (reus\$4 discard\$4) with (article item material)) with data\$base and (supplier user provider) with interface and communication with link and monitor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:57
-	1	5084483.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:58
-	0	5084483.pn. and interfac\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:58
-	0	5084483.pn. and communication	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:58
-	27	(re\$cycl\$4 re\$us\$4) with raw adj material and user with interfac\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 17:00
-	18	(re\$cycl\$4 re\$us\$4) with raw adj material and user with interfac\$4 and data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 17:01
-	2	(re\$cycl\$4 re\$us\$4) with raw adj material and user with interfac\$4 and data\$base and provider	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 17:06
-	1	(re\$cycl\$4 re\$us\$4) with raw adj material and user with interfac\$4 and (interfac\$4 communicat\$4) with data\$base and provider	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 17:08
-	45	(re\$cycl\$4 re\$us\$4) with material and user with interfac\$4 and (interfac\$4 communicat\$4) with data\$base and provider	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 17:09
-	10	(re\$cycl\$4 re\$us\$4) with material and user with interfac\$4 and (interfac\$4 communicat\$4) with data\$base and provider with (waste re\$cycl\$4 reus\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:17
-	4	(re\$cycl\$4 re\$us\$4) with material and user with interfac\$4 and (interfac\$4 communicat\$4) with data\$base and provider with (waste re\$cycl\$4 reus\$4) and monitor\$4 with (production process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:18
-	4	(re\$cycl\$4 re\$us\$4) with material and user with interfac\$4 and (interfac\$4 communicat\$4 conect\$4 link\$4) with data\$base and provider with (waste re\$cycl\$4 reus\$4) and monitor\$4 with (production process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:18
-	29	(re\$cycl\$4 re\$us\$4) with material and user with interfac\$4 and (interfac\$4 communicat\$4 conect\$4 link\$4) with data\$base and (waste re\$cycl\$4 reus\$4) and monitor\$4 with (production process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:19

-	354222	(re\$cycl\$4 re\$us\$4) with material and user with interfac\$4 and (interfac\$4 communicat\$4 conect\$4 link\$4) with data\$base and (waste re\$cycl\$4 reus\$4) and monitor\$4 with (production) with re\$cycl\$4 re\$us\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:20
-	2	(re\$cycl\$4 re\$us\$4) with material and user with interfac\$4 and (interfac\$4 communicat\$4 conect\$4 link\$4) with data\$base and (waste re\$cycl\$4 reus\$4) and monitor\$4 with (production) with (re\$cycl\$4 re\$us\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:36
-	0	(re\$cycl\$4 re\$us\$4) with material and user with interfac\$4 and (interfac\$4 communicat\$4 conect\$4 link\$4) with data\$base and (waste re\$cycl\$4 reus\$4) and monitor\$4 with (production) with (re\$cycl\$4 re\$us\$4) and data\$base with communicat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:36
-	2	(re\$cycl\$4 re\$us\$4) with material and user with interfac\$4 and (interfac\$4 communicat\$4 conect\$4 link\$4) with data\$base and (waste re\$cycl\$4 reus\$4) and monitor\$4 with (production) with (re\$cycl\$4 re\$us\$4) and data\$base and communicat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 09:09
-	1	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and data\$base with price	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:56
-	2	(re\$cycl\$4 re\$us\$4) with material and user with interfac\$4 and (interfac\$4 communicat\$4 conect\$4 link\$4) with data\$base and (waste re\$cycl\$4 reus\$4) and monitor\$4 with (production) with (re\$cycl\$4 re\$us\$4) and data\$base and communicat\$4 and user with access\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 09:10
-	2	(re\$cycl\$4 re\$us\$4) with material and user with interfac\$4 and (interfac\$4 communicat\$4 conect\$4 link\$4) with data\$base and (waste re\$cycl\$4 reus\$4) and monitor\$4 with (production) with (re\$cycl\$4 re\$us\$4) and data\$base and communicat\$4 and user with access\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 09:10
-	0	(re\$cycl\$4 re\$us\$4) with material and user with interfac\$4 and (interfac\$4 communicat\$4 conect\$4 link\$4) with data\$base and (waste re\$cycl\$4 reus\$4) and monitor\$4 with (production) with (re\$cycl\$4 re\$us\$4) and data\$base and communicat\$4 and user with access\$4 with interfac\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 09:11
-	0	(re\$cycl\$4 re\$us\$4) with material and user with interfac\$4 and (interfac\$4 communicat\$4 conect\$4 link\$4) with data\$base and (waste re\$cycl\$4 reus\$4) and monitor\$4 with (production) with (re\$cycl\$4 re\$us\$4) and data\$base and communicat\$4 and user with access\$4 with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 09:11
-	0	(re\$cycl\$4 re\$us\$4) with material and user with interfac\$4 and (interfac\$4 communicat\$4 conect\$4 link\$4) with data\$base and (waste re\$cycl\$4 reus\$4) and monitor\$4 with (production) with (re\$cycl\$4 re\$us\$4) and data\$base and communicat\$4 and user with access\$4 with view\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 09:11

-	2	(re\$cycl\$4 re\$us\$4) with material and user with interfac\$4 and (interfac\$4 communicat\$4 conect\$4 link\$4) with data\$base and (waste re\$cycl\$4 reus\$4) and monitor\$4 with (production) with (re\$cycl\$4 re\$us\$4) and data\$base and communicat\$4 and user with view\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 09:12
---	---	--	---	---------------------